ELSEVIER

Journal of Affective Disorders 64 (2001) 297–299

JOURNAL OF AFFECTIVE DISORDERS

www.elsevier.com/locate/jad

Author index

Arduini, L., see Rossi, A. (64) 267
Arnillas, H., see Garcia-Toro, M. (64) 271
Ascher, J.A., see Rush, A.J. (64) 81
Avasthi, A., Sharma, A., Gupta, N., Kulhara, P., Varma, V.K., Malhotra, S. and Mattoo, S.K.
Seasonality and affective disorders: a report from North India (64) 145
Åsberg, M., see Svanborg, P. (64) 203

Barnett, B., see Matthey, S. (64) 175
Batey, S.R., see Rush, A.J. (64) 81
Bauer, M., see Bschor, T. (64) 261
Bauer, M., Priebe, S., Berghöfer, A., Bschor, T., Kiesslinger, U. and Whybrow, P.C.
Subjective response to and tolerability of long-term supraphysiological doses of levothyroxine in refractory mood disorders (64) 35
Bech, P., see Stage, K.B. (64) 239
Beckman, D., see Nelson, E. (64) 249
Bekaroğlu, M., see Bilici, M. (64) 43
Berghöfer, A., see Bauer, M. (64) 35
Biederman, J., see Faraone, S.V. (64) 19
Biederman, J., see Wozniak, J. (64) 121
Bilici, M., Efe, H., Köroğlu, M.A., Uydu, H.A., Bekaroğlu, M. and Değer, O.
Antioxidative enzyme activities and lipid peroxidation in major depression: alterations by antidepressant treatments (64) 43
Blier, H., see Wozniak, J. (64) 121
Brusman, L., see Nelson, E. (64) 249
Bschor, T., see Bauer, M. (64) 35
Bschor, T., Canata, B., Müller-Oerlinghausen, B. and Bauer, M.
Predictors of response to lithium augmentation in tricyclic antidepressant-resistant depression (64) 261

Canata, B., see Bschor, T. (64) 261
Capllonch, I., see Garcia-Toro, M. (64) 271
Carmody, T.J., see Rush, A.J. (64) 81
Chen, C.-C., see Tsai, S.-Y.M. (64) 185
Cowan, A., see Thompson, C. (64) 89
Crespí, M., see Garcia-Toro, M. (64) 271

Daneluzzo, E., see Rossi, A. (64) 267
Danish University Antidepressant Group, see Stage, K.B. (64) 239
Dauber, S., see Miller, N.L. (64) 231
Değer, O., see Bilici, M. (64) 43
de Jonghe, F., Kool, S., van Aalst, G., Dekker, J. and Peen, J.
Combining psychotherapy and antidepressants in the treatment of depression (64) 217
Dekker, J., see de Jonghe, F. (64) 217
Dhossche, D.M., Rich, C.L., Ghani, S.O. and Isacsson, G.
Patterns of psychoactive substance detection from routine toxicology of suicides in Mobile, Alabama, between 1990 and 1998 (64) 167
Di Domenico, M., see Rossi, A. (64) 267
Donahue, R.M.J., see Rush, A.J. (64) 81

Efe, H., see Bilici, M. (64) 43
Ekeberg, Ø., see Tyssen, R. (64) 69

Faraone, S.V., Biederman, J. and Monuteaux, M.C.
Attention deficit hyperactivity disorder with bipolar disorder in girls: further evidence for a familial subtype? (64) 19
Faraone, S.V., see Wozniak, J. (64) 121
Fisher, L.J., see Goldney, R.D. (64) 277

Garcia-Toro, M., Mayol, A., Arnillas, H., Capllonch, I., Ibarra, O., Crespí, M., Micó, J., Lafau, O. and Lafuente, L.
Modest adjunctive benefit with transcranial magnetic stimulation in medication-resistant depression (64) 271
Ghani, S.O., see Dhossche, D.M. (64) 167
Ghinelli, F., see Grassi, L. (64) 195
Goldney, R.D., Fisher, L.J. and Wilson, D.H.
Mental health literacy: an impediment to the optimum treatment of major depression in the community (64) 277
Grassi, L., Mondardini, D., Pavanati, M., Sighinolfi, L., Serra, A. and Ghinelli, F.
Suicide probability and psychological morbidity secondary to HIV infection: a control study of HIV-seropositive, hepatitis C virus (HCV)-seropositive and HIV/HCV-seronegative injecting drug users (64) 195
Grønvold, N.T., see Tyssen, R. (64) 69
Gupta, N., see Avasthi, A. (64) 145

Hale III, W.W.
Behavioral social support between remitted depressed patients with partners and strangers (64) 285
Hirano, S., see Sato, T. (64) 133

S0165-0327(01)00344-5

Holcomb, J., see Nelson, E. (64) 249
Howie, P., see Matthey, S. (64) 175

Ibarra, O., see Garcia-Toro, M. (64) 271
Isacsson, G., see Dhossche, D.M. (64) 167

Kaltiala-Heino, R., Rimpelä, M., Rantanen, P. and Laippala, P.
Adolescent depression: the role of discontinuities in life course and social support (64) 155
Katona, C., see Stage, K.B. (64) 239
Kavanagh, D.J., see Matthey, S. (64) 175
Kaya, N., see Özerdem, A. (64) 27
Kiesslinger, U., see Bauer, M. (64) 35
Kocsis, J.H., see Miller, N.L. (64) 231
Kool, S., see de Jonghe, F. (64) 217
Köroğlu, M.A., see Bilici, M. (64) 43
Koyama, T., see Suzuki, K. (64) 291
Kragh-Sørensen, P., see Stage, K.B. (64) 239
Kulhara, P., see Avasthi, A. (64) 145
Kuo, C.-J., see Tsai, S.-Y.M. (64) 185
Kuppili, N., see Nelson, E. (64) 249
Kusumi, I., see Suzuki, K. (64) 291
Kusunoki, K., see Sato, T. (64) 133

Lafau, O., see Garcia-Toro, M. (64) 271
Lafuente, L., see Garcia-Toro, M. (64) 271
Laippala, P., see Kaltiala-Heino, R. (64) 155
Lauer, C.J., see Wiegand, M.H. (64) 257
Leon, A.C., see Miller, N.L. (64) 231
Leu, S.-J.C., see Tsai, S.-Y.M. (64) 185

Malhotra, S., see Avasthi, A. (64) 145
Markowitz, J.C., see Miller, N.L. (64) 231
Matthey, S., Barnett, B., Kavanagh, D.J. and Howie, P.
Validation of the Edinburgh Postnatal Depression Scale for men, and comparison of item endorsement with their partners (64) 175
Mattoo, S.K., see Avasthi, A. (64) 145
Mayol, A., see Garcia-Toro, M. (64) 271
McElroy, S.L., see Nelson, E. (64) 249
Metz, A., see Rush, A.J. (64) 81
Micó, J., see Garcia-Toro, M. (64) 271
Miller, N.L., Kocsis, J.H., Leon, A.C., Portera, L., Dauber, S. and Markowitz, J.C.
Maintenance desipramine for dysthymia: a placebo-controlled study (64) 231
Mondardini, D., see Grassi, L. (64) 195
Monuteaux, M., see Wozniak, J. (64) 121
Monuteaux, M.C., see Faraone, S.V. (64) 19
Müller-Oerlinghausen, B., see Bschor, T. (64) 261

Nair, N.P.V., see Stage, K.B. (64) 239
Narita, T., see Sato, T. (64) 133
Nelson, E., Brusman, L., Holcomb, J., Soutullo, C., Beckman, D., Welge, J.A., Kuppili, N. and McElroy, S.L.
Divalproex sodium in sex offenders with bipolar disorders and comorbid paraphilias: an open retrospective study (64) 249

Orbell, S., see Street, H. (64) 53
Özerdem, A., Tunca, Z. and Kaya, N.
The relatively good prognosis of bipolar disorders in a Turkish bipolar clinic (64) 27

Pavanati, M., see Grassi, L. (64) 195
Peen, J., see de Jonghe, F. (64) 217
Petruzzi, C., see Rossi, A. (64) 267
Pollice, R., see Rossi, A. (64) 267
Portera, L., see Miller, N.L. (64) 231
Priebe, S., see Bauer, M. (64) 35

Rantanen, P., see Kaltiala-Heino, R. (64) 155
Rich, C.L., see Dhossche, D.M. (64) 167
Rimpelä, M., see Kaltiala-Heino, R. (64) 155
Rossi, A., Daneluzzo, E., Arduini, L., Di Domenico, M., Pollice, R. and Petruzzi, C.
A factor analysis of signs and symptoms of the manic episode with Bech–Rafaelsen Mania and Melancholia Scales (64) 267
Roth, S.M.
Unitary or binary nature of classification of depressive illness and its implications for the scope of manic depressive disorder (64) 1
Rush, A.J., Batey, S.R., Donahue, R.M.J., Ascher, J.A., Carmody, T.J. and Metz, A.
Does pretreatment anxiety predict response to either bupropion SR or sertraline? (64) 81

Sakado, K., see Sato, T. (64) 133
Sasaki, Y., see Suzuki, K. (64) 291
Sato, T., Narita, T., Hirano, S., Kusunoki, K., Sakado, K. and Uehara, T.
Is interpersonal sensitivity specific to non-melancholic depressions? (64) 133
Schreiber, W., see Wiegand, M.H. (64) 257
Serra, A., see Grassi, L. (64) 195
Sharma, A., see Avasthi, A. (64) 145
Sharma, V.
Loss of response to antidepressants and subsequent refractoriness: diagnostic issues in a retrospective case series (64) 99
Sheeran, P., see Street, H. (64) 53
Sighinolfi, L., see Grassi, L. (64) 195
Soutullo, C., see Nelson, E. (64) 249
Stage, K.B., Bech, P., Kragh-Sørensen, P., Nair, N.P.V., Katona, C. and Danish University Antidepressant Group
Differences in symptomatology and diagnostic profile in younger and elderly depressed inpatients (64) 239
Street, H., Sheeran, P. and Orbell, S.
Exploring the relationship between different psychosocial determinants of depression: a multidimensional scaling analysis (64) 53
Suzuki, K., Kusumi, I., Sasaki, Y. and Koyama, T.
Serotonin-induced platelet intracellular calcium mobilization in various psychiatric disorders: is it specific to bipolar disorder? (64) 291
Svanborg, P. and Åsberg, M.
A comparison between the Beck Depression Inventory (BDI)

and the self-rating version of the Montgomery Åsberg Depression Rating Scale (MADRS) (64) 203

Thompson, C. and Cowan, A.
The Seasonal Health Questionnaire: a preliminary validation of a new instrument to screen for Seasonal Affective Disorder (64) 89
Tsai, S.-Y.M., Yang, Y.-Y., Kuo, C.-J., Chen, C.-C. and Leu, S.-J.C.
Effects of symptomatic severity on elevation of plasma soluble interleukin-2 receptor in bipolar mania (64) 185
Tunca, Z., see Özerdem, A. (64) 27
Tyssen, R., Vaglum, P., Grønvold, N.T. and Ekeberg, Ø.
Suicidal ideation among medical students and young physicians: a nationwide and prospective study of prevalence and predictors (64) 69

Uehara, T., see Sato, T. (64) 133
Uydu, H.A., see Bilici, M. (64) 43

Vaglum, P., see Tyssen, R. (64) 69
van Aalst, G., see de Jonghe, F. (64) 217
Van der Does, A.J.W.
The effects of tryptophan depletion on mood and psychiatric symptoms (64) 107
Varma, V.K., see Avasthi, A. (64) 145

Welge, J.A., see Nelson, E. (64) 249
Whybrow, P.C., see Bauer, M. (64) 35
Wiegand, M.H., Lauer, C.J. and Schreiber, W.
Patterns of response to repeated total sleep deprivations in depression (64) 257
Wilson, D.H., see Goldney, R.D. (64) 277
Wozniak, J., Biederman, J., Faraone, S.V., Blier, H. and Monuteaux, M.
Heterogeneity of childhood conduct disorder: further evidence of a subtype of conduct disorder linked to bipolar disorder (64) 121

Yang, Y.-Y., see Tsai, S.-Y.M. (64) 185

ELSEVIER

Journal of Affective Disorders 64 (2001) 301–303

JOURNAL OF AFFECTIVE DISORDERS

www.elsevier.com/locate/jad

Subject index

Acute mania; Bipolar affective disorder; Bipolar 2; Outcome; Treatment **64,** 27

ADHD; Bipolar disorder; Genetics; Comorbidity; Nosology **64,** 19

Adolescence; Depression; Discontinuities in life course; Social support **64,** 155

Affective disorder; Seasonal Affective Disorder; Seasonality **64,** 145

Amitriptyline; Total sleep deprivation; Repeated sleep deprivations; Major depression; Antidepressant therapy **64,** 257

Antidepressant therapy; Total sleep deprivation; Repeated sleep deprivations; Major depression; Amitriptyline **64,** 257

Antidepressants; Antioxidants; Free radicals; Major Depression **64,** 43

Antidepressants; Major depression; Drug therapy; Loss of response; Bipolar disorder **64,** 99

Antioxidants; Free radicals; Major Depression; Antidepressants **64,** 43

Attitudes; Depression; Stigma; Mental health literacy **64,** 277

Bech–Rafaelsen Mania Scale; Factor analysis; Bipolar disorder; Bech–Rafaelsen Melancholia Scale **64,** 267

Bech–Rafaelsen Melancholia Scale; Factor analysis; Bipolar disorder; Bech–Rafaelsen Mania Scale **64,** 267

Bipolar 2; Bipolar affective disorder; Acute mania; Outcome; Treatment **64,** 27

Bipolar affective disorder; Bipolar 2; Acute mania; Outcome; Treatment **64,** 27

Bipolar disorder; ADHD; Genetics; Comorbidity; Nosology **64,** 19

Bipolar disorder; Major depression; Drug therapy; Antidepressants; Loss of response **64,** 99

Bipolar disorder; Mania; Conduct disorder; Comorbidity; Children **64,** 121

Bipolar disorder; Factor analysis; Bech–Rafaelsen Mania Scale; Bech–Rafaelsen Melancholia Scale **64,** 267

Bipolar disorder; Serotonin; Serotonin 5-HT2A receptor; Calcium; Platelet; Signal transduction **64,** 291

Bipolar disorder in Taiwan; Severity of mania; Soluble interleukin-2 receptors (sIL-2R); Soluble interleukin-6 receptor (sIL-6R) **64,** 185

Bipolar disorders; Divalproex; Paraphilias; Sex offenders **64,** 249

Bupropion SR; Pretreatment anxiety; Response prediction; Sertraline; Retrospective data analysis **64,** 81

Calcium; Bipolar disorder; Serotonin; Serotonin 5-HT2A receptor; Platelet; Signal transduction **64,** 291

Children; Mania; Bipolar disorder; Conduct disorder; Comorbidity **64,** 121

Cognition; Tryptophan depletion; Mood; Psychiatric symptoms; Depression; Relapse **64,** 107

Comorbidity; ADHD; Bipolar disorder; Genetics; Nosology **64,** 19

Comorbidity; Mania; Bipolar disorder; Conduct disorder; Children **64,** 121

Conduct disorder; Mania; Bipolar disorder; Comorbidity; Children **64,** 121

Controlled trial; Dysthymic disorder; Maintenance treatment; Medication; Recurrence **64,** 231

Depression; Psychological factors; Multidimensional scaling; Empirical integration; Review **64,** 53

Depression; Tryptophan depletion; Mood; Psychiatric symptoms; Relapse; Cognition **64,** 107

Depression; Adolescence; Discontinuities in life course; Social support **64,** 155

Depression; Psychiatric status rating scales; Self-assessment; Diagnosis; Personality disorders **64,** 203

Depression; Principal component analysis; Major Depression **64,** 239

Depression; Lithium; Lithium augmentation; Therapy-resistant depression; Response; Prediction **64,** 261

Depression; Drug-resistant; Transcranial magnetic stimulation **64,** 271

S0165-0327(01)00345-7

Depression; Attitudes; Stigma; Mental health literacy **64,** 277

Depression; Non-verbal behavior; Remission; Interactions; Involvement **64,** 285

Diagnosis; Psychiatric status rating scales; Self-assessment; Depression; Personality disorders **64,** 203

Discontinuities in life course; Adolescence; Depression; Social support **64,** 155

Divalproex; Bipolar disorders; Paraphilias; Sex offenders **64,** 249

Drug-resistant; Depression; Transcranial magnetic stimulation **64,** 271

Drug therapy; Major depression; Antidepressants; Loss of response; Bipolar disorder **64,** 99

Dysthymic disorder; Maintenance treatment; Medication; Recurrence; Controlled trial **64,** 231

Empirical integration; Depression; Psychological factors; Multidimensional scaling; Review **64,** 53

Factor analysis; Bipolar disorder; Bech–Rafaelsen Mania Scale; Bech–Rafaelsen Melancholia Scale **64,** 267

Free radicals; Antioxidants; Major Depression; Antidepressants **64,** 43

Genetics; ADHD; Bipolar disorder; Comorbidity; Nosology **64,** 19

Hepatitis C virus infection; HIV infection; Injecting drug users; Psychological morbidity; Suicide probability **64,** 195

HIV infection; Hepatitis C virus infection; Injecting drug users; Psychological morbidity; Suicide probability **64,** 195

Injecting drug users; Hepatitis C virus infection; HIV infection; Psychological morbidity; Suicide probability **64,** 195

Interactions; Depression; Non-verbal behavior; Remission; Involvement **64,** 285

Interpersonal sensitivity; Major depression; Melancholia; Non-melancholic depression; Personality **64,** 133

Involvement; Depression; Non-verbal behavior; Remission; Interactions **64,** 285

Levothyroxine; Thyroid hormone; Subjective response; Tolerability; Refractory mood disorders **64,** 35

Lithium; Lithium augmentation; Depression; Therapy-resistant depression; Response; Prediction **64,** 261

Lithium augmentation; Lithium; Depression; Therapy-resistant depression; Response; Prediction **64,** 261

Loss of response; Major depression; Drug therapy; Antidepressants; Bipolar disorder **64,** 99

Maintenance treatment; Dysthymic disorder; Medication; Recurrence; Controlled trial **64,** 231

Major Depression; Antioxidants; Free radicals; Antidepressants **64,** 43

Major depression; Drug therapy; Antidepressants; Loss of response; Bipolar disorder **64,** 99

Major depression; Melancholia; Non-melancholic depression; Personality; Interpersonal sensitivity **64,** 133

Major Depression; Depression; Principal component analysis **64,** 239

Major depression; Total sleep deprivation; Repeated sleep deprivations; Amitriptyline; Antidepressant therapy **64,** 257

Mania; Bipolar disorder; Conduct disorder; Comorbidity; Children **64,** 121

Medical students; Suicide; Physicians; Stress; Norway **64,** 69

Medication; Dysthymic disorder; Maintenance treatment; Recurrence; Controlled trial **64,** 231

Melancholia; Major depression; Non-melancholic depression; Personality; Interpersonal sensitivity **64,** 133

Mental health literacy; Depression; Attitudes; Stigma **64,** 277

Mood; Tryptophan depletion; Psychiatric symptoms; Depression; Relapse; Cognition **64,** 107

Multidimensional scaling; Depression; Psychological factors; Empirical integration; Review **64,** 53

Non-melancholic depression; Major depression; Melancholia; Personality; Interpersonal sensitivity **64,** 133

Non-verbal behavior; Depression; Remission; Interactions; Involvement **64,** 285

Norway; Suicide; Medical students; Physicians; Stress **64,** 69

Nosology; ADHD; Bipolar disorder; Genetics; Comorbidity **64,** 19

Outcome; Bipolar affective disorder; Bipolar 2; Acute mania; Treatment **64,** 27

Paraphilias; Bipolar disorders; Divalproex; Sex offenders **64,** 249

Personality; Major depression; Melancholia; Non-melancholic depression; Interpersonal sensitivity **64,** 133

Personality disorders; Psychiatric status rating scales; Self-assessment; Depression; Diagnosis **64,** 203

Physicians; Suicide; Medical students; Stress; Norway **64,** 69

Platelet; Bipolar disorder; Serotonin; Serotonin 5-HT2A receptor; Calcium; Signal transduction **64,** 291

Prediction; Lithium; Lithium augmentation; Depression; Therapy-resistant depression; Response **64,** 261

Pretreatment anxiety; Response prediction; Bupropion SR; Sertraline; Retrospective data analysis **64,** 81

Principal component analysis; Depression; Major Depression **64,** 239

Psychiatric status rating scales; Self-assessment; Depression; Diagnosis; Personality disorders **64,** 203

Psychiatric symptoms; Tryptophan depletion; Mood; Depression; Relapse; Cognition **64,** 107

Psychoactive substance; Toxicology; Suicide **64,** 167

Psychological factors; Depression; Multidimensional scaling; Empirical integration; Review **64,** 53

Psychological morbidity; Hepatitis C virus infection; HIV infection; Injecting drug users; Suicide probability **64,** 195

Recurrence; Dysthymic disorder; Maintenance treatment; Medication; Controlled trial **64,** 231

Refractory mood disorders; Thyroid hormone; Levothyroxine; Subjective response; Tolerability **64,** 35

Relapse; Tryptophan depletion; Mood; Psychiatric symptoms; Depression; Cognition **64,** 107

Remission; Depression; Non-verbal behavior; Interactions; Involvement **64,** 285

Repeated sleep deprivations; Total sleep deprivation; Major depression; Amitriptyline; Antidepressant therapy **64,** 257

Response; Lithium; Lithium augmentation; Depression; Therapy-resistant depression; Prediction **64,** 261

Response prediction; Pretreatment anxiety; Bupropion SR; Sertraline; Retrospective data analysis **64,** 81

Retrospective data analysis; Pretreatment anxiety; Response prediction; Bupropion SR; Sertraline **64,** 81

Review; Depression; Psychological factors; Multidimensional scaling; Empirical integration **64,** 53

Seasonal Affective Disorder; Seasonal Pattern Assessment Questionnaire; Seasonal Health Questionnaire; Validity **64,** 89

Seasonal Affective Disorder; Seasonality; Affective disorder **64,** 145

Seasonal Health Questionnaire; Seasonal Affective Disorder; Seasonal Pattern Assessment Questionnaire; Validity **64,** 89

Seasonal Pattern Assessment Questionnaire; Seasonal Affective Disorder; Seasonal Health Questionnaire; Validity **64,** 89

Seasonality; Seasonal Affective Disorder; Affective disorder **64,** 145

Self-assessment; Psychiatric status rating scales; Depression; Diagnosis; Personality disorders **64,** 203

Serotonin; Bipolar disorder; Serotonin 5-HT2A receptor; Calcium; Platelet; Signal transduction **64,** 291

Serotonin 5-HT2A receptor; Bipolar disorder; Serotonin; Calcium; Platelet; Signal transduction **64,** 291

Sertraline; Pretreatment anxiety; Response prediction; Bupropion SR; Retrospective data analysis **64,** 81

Severity of mania; Bipolar disorder in Taiwan; Soluble interleukin-2 receptors (sIL-2R); Soluble interleukin-6 receptor (sIL-6R) **64,** 185

Sex offenders; Bipolar disorders; Divalproex; Paraphilias **64,** 249

Signal transduction; Bipolar disorder; Serotonin; Serotonin 5-HT2A receptor; Calcium; Platelet **64,** 291

Social support; Adolescence; Depression; Discontinuities in life course **64,** 155

Soluble interleukin-2 receptors (sIL-2R); Bipolar disorder in Taiwan; Severity of mania; Soluble interleukin-6 receptor (sIL-6R) **64,** 185

Soluble interleukin-6 receptor (sIL-6R); Bipolar disorder in Taiwan; Severity of mania; Soluble interleukin-2 receptors (sIL-2R) **64,** 185

Stigma; Depression; Attitudes; Mental health literacy **64,** 277

Stress; Suicide; Medical students; Physicians; Norway **64,** 69

Subjective response; Thyroid hormone; Levothyroxine; Tolerability; Refractory mood disorders **64,** 35

Suicide; Medical students; Physicians; Stress; Norway **64,** 69

Suicide; Toxicology; Psychoactive substance **64,** 167

Suicide probability; Hepatitis C virus infection; HIV infection; Injecting drug users; Psychological morbidity **64,** 195

Therapy-resistant depression; Lithium; Lithium augmentation; Depression; Response; Prediction **64,** 261

Thyroid hormone; Levothyroxine; Subjective response; Tolerability; Refractory mood disorders **64,** 35

Tolerability; Thyroid hormone; Levothyroxine; Subjective response; Refractory mood disorders **64,** 35

Total sleep deprivation; Repeated sleep deprivations; Major depression; Amitriptyline; Antidepressant therapy **64,** 257

Toxicology; Suicide; Psychoactive substance **64,** 167

Transcranial magnetic stimulation; Depression; Drug-resistant **64,** 271

Treatment; Bipolar affective disorder; Bipolar 2; Acute mania; Outcome **64,** 27

Tryptophan depletion; Mood; Psychiatric symptoms; Depression; Relapse; Cognition **64,** 107

Validity; Seasonal Affective Disorder; Seasonal Pattern Assessment Questionnaire; Seasonal Health Questionnaire **64,** 89